

## ACCORDING TO THE KING COUNTY OVERDOSE DEATH DASHBOARD, THERE HAVE BEEN 486 OVERDOSE DEATHS IN KING COUNTY AS OF 8/11/2022



Monument police officer taken to hospital following possible narcotics exposure

### LOCAL NEWS

Deputy recovering after fentanyl exposure during **Monterey Park traffic stop** 

Police officers say they're overdosing from fentanyl exposure. What's really going on?

> 'You need to breathe': K9 officer shares what it's like being exposed to fentanyl

With the relatively recent surge in fentanyl-related overdoses, a new occupational safety concern has emerged among emergency responders: the fear of overdosing from touching fentanyl. In 2017 alone, over 150 media reports describing first responder exposures to opioids surfaced. Reports of overdose due to fentanyl contact among first responders have been repeatedly refuted by medical experts. Yet, mixed messages from the US government agencies and their prominence in media outlets have catalyzed the spread of misinformation about the risks of accidental fentanyl contact.1

1https://harmreductionjournal.biomedcentral.com/articles/10.1186/s12954-020-00402-2

# PUBLIC HEALTH INSIDER

OFFICIAL INSIGHTS FROM PUBLIC HEALTH – SEATTLE & KING COUNTY STAFF

Dr. Scott Phillips, Medical Toxicologist and Medical Director of the Washington Poison Center

How could one get indirectly exposed to fentanyl from another person? Could you absorb it through the skin? Or through the air?

THE RISKS ARE VERY LOW. WHEN SOMEONE SMOKES FENTANYL, MOST OF THE DRUG HAS BEEN FILTERED OUT BY THE USER BEFORE THERE IS SECONDHAND SMOKE. IT DOESN'T JUST SORT OF FLOAT AROUND. STUDIES HAVE LOOKED AT FENTANYL CONCENTRATIONS IN THE BLOODSTREAM AFTER SOMEONE HAS HAD SECONDHAND FENTANYL EXPOSURE FROM SMOKE. THE LEVELS ARE EXTREMELY LOW OR NOT DETECTABLE. SO, THERE'S NO REAL RISK FOR THE EVERYDAY PERSON BEING EXPOSED TO SECONDHAND OPIOID SMOKE.

AND FENTANYL DOESN'T ABSORB THROUGH THE SKIN VERY WELL, SO THAT'S NOT A SIGNIFICANT RISK. WE RECOMMEND THAT YOU WASH YOUR HANDS WITH SOAP AND WATER (NOT ALCOHOL OR SANITIZER) IF YOU GET IT ON YOUR SKIN. FENTANYL AND OTHER OPIOID DRUGS ARE WHAT WE CALL VERY FAT-SOLUBLE. THEY LIKE TO GET INSIDE CELLS, IN TISSUES LIKE THE BRAIN. IF A PERSON TAKES FENTANYL, IT WILL QUICKLY BE TAKEN UP BY THE BRAIN, THE LIVER, AND OTHER FATTY TISSUES AND NOT LINGER IN THE AIR.




Accidental Occupational

Exposure to a Large Volume of
Liquid Fentanyl on a

Compromised Skin Barrier with No
Resultant Effect | Prehospital and
Disaster Medicine | Cambridge
Core

"no clinical effects of opioid exposure observed"




## A very brief history of drug checking










## Bruker Alpha II FTIR Spectrometer

- These machines are very expensive
- Have some limitations
- Require extensive training

### 1 RED LINE = POSITIVE FOR FENTANYL





### Fentanyl Test Strips

- Less expensive
- Very ease to use
- Results in minutes


WA state law defines drug paraphernalia as "testing equipment used, intended for use, or designed for use in identifying or in analyzing the strength, effectiveness, or purity of a controlled substance," and possession or use is classified as a misdemeanor.

DUUUUUUt

SB 5509 was approved by the Senate on Feb. 8. The bill, sponsored by Sens. Jim Honeyford and Mark Mullet, would exempt fentanyl testing equipment from the definition of drug paraphernalia.

## Puget Sound Drug Checking Project


**Hepatitis Education Project** 



People's Harm Reduction Alliance



## International Drug Checking Day March 31st





## Overdose Awareness Day

August 31, 2022 | 12:30 - 5:30PM 1621 S Jackson Street Parking Lot

























